DEPARTMENT OF TRANSPORTATION FEDERAL RAILROAD ADMINISTRATION

FALSE PROCEED SIGNAL REPORT

Il railroads subject to Regulations of the Federal Railroad Administration shall submit a false proceed signal eport, original only, to the Federal Railroad Administration within five days after a false proceed occurs. If no false proceed occurs during any calendar month, a report showing "No Failures" must be filed within ten days after the end of the month. Copies of this form will be furnished upon request to the Department of Transportation, Federal Railroad Administration, Office of Safety, Washington, D.C. 20590.

MAIL TO

Director of Railroad Safety EDERAL BAL Federal Railroad Administration City Center Square, Suite 1130 1100 Main Street Kansas City, MO 64105-2112

REPORT FOR	(month/year)
------------	--------------

September 1997

DATE

September 22, 1997

REPORTING CARRIER (railroad & region or division)

Union Pacific Railroad 1416 Dodge Street Omaha, Nebraska

Proviso Service Unit

REPORTING OFFICER (signature/title)

Chief Engineer-Signals

The following abbreviations may be used in the report:

A failure should not be counted more than one time in items 1, 2, 3, and 4; the failure should be classified A = Automatic under the basic system or appliance of which it forms an essential part. E.g.; assume grounds range a block AB = Automatic block signal to indicate a false proceed causing corresponding indications of a cab signal system on each train approaching this point, such failures should be included in item 1, Block Systems.

A false proceed failure is a failure of a system, device or appliance to indicate or function as intended which ATC = Automatic train control results in less restriction than intended.

ACS = Automatic Cab Signal

APB = Absolute permissive block

ATS = Automatic train stop

CL = Color light

CPL = Color position light E = Electric

EM = Electromechanic

EP = Electropneumatic FP = False proceed

MB = Manual block

M = Mechanical

P -= Pneumatic

PL = Position light

SA = Semiautomatic

TC = Traffic Control

	E = Electric			
TYPE OF SYSTEM	DATE	LOCOMOTIVE NUMBER	DEVICE THAT FAILED	LOCATION(city and state)
BLOCK SYSTEMS APB ATC	9/18/97	175	None	Chicago, IL
INTERLOCKING		,		
AUTOMATIC SYSTEMS ATS ATC DACS				***************************************
4 OTHER (Specify)				
NATURE AND CAUSE OF FAILURE/CORREC	TIVE ACTION TA	KEN		

On September 18, 1997, at 11:00 CDST, on the Geneva Subdivision, at Chicago, Illinois, the Switch Tender reported the eastbound signal 3.8 on #1 Main Track was green with the track occupied east of the signal.

An investigation revealed a rusty rail condition was preventing the track circuit from shunting while occupied.

The track relay was adjusted and a stainless steel bead will be welded to the rail. The signal system was restored to proper operation, and all applicable tests were performed.